





PRODUCT CATALOG



POWER BEYOND BELIEF" TABLE OF CONTENTS

| EGO Power+ Batteries & Chargers | 4 |
|---------------------------------|----|
| EGO Power+ Riding Mower | 6 |
| EGO Power+ Mower | 12 |
| EGO Power+ String Trimmer | 18 |
| EGO Power+ Blower | 22 |
| EGO Power+ Backpack Blower | 26 |
| EGO Power+ Multi-Head | 28 |
| EGO Power+ Chain Saw | 34 |
| EGO Power+ Pole Saw | 38 |

| EGO Power+ Hedge Trimmer | 40 |
|---------------------------|----|
| EGO Power+ Auger | 42 |
| EGO Power+ Cleaning | 44 |
| EGO Power+ Lifestyle | 48 |
| EGO Power+ Mini Bike | 53 |
| EGO Power+ Portable Power | 54 |
| EGO Power+ Snowblower | 56 |
| EGO Power+ ACCESSORIES | 63 |
| EGO Commercial Series | 69 |



#1 RATED BRAND

EGO is the #1 rated brand in cordless outdoor power according to industry experts and purchasers based on power, performance, durability, and value.

POWER AND PERFORMANCE OF GAS

All EGO tools deliver or exceed the power and performance of gas—without the noise, fuss, or fumes—guaranteeing maximum power, longer run times, and industry-leading recharge times.

INDUSTRY'S MOST ADVANCED TECHNOLOGY

Our patented ARC Lithium[™] technology is the most advanced in the outdoor power equipment industry with its shock-resistant design, intelligent power management, innovative ARC-shaped design, and keep-cool cell technology.

INNOVATION

No matter which EGO tool you use, you can expect groundbreaking innovation that solves for pain points, such as the world's first LINE IQ[™] technology, world's first platform-compatible zero-turn riding mower, and world's first auto tensioning technology.





THE MOST ADVANCED **TECHNOLOGY IN** THE INDUSTRY

BETTER PERFORMANCE IS BUILT IN


No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left
- A three-year limited warranty*

*Up to 5 depending on model. See egopowerplus.com for details.







NOT ALL VOLTS ARE CREATED EQUAL

VOLTAGE ≠ PERFORMANCE

BA4480T

448Wh

8.0Ah BATTERY

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

(V)

CAPACITY x VOLTAGE = ENERGY (Ah) (V) (Wh)

VOLTAGE x CURRENT = POWER (A) (W)

BA5600T

560Wh

10.0Ah BATTERY

BA6720T 12.0Ah BATTERY 672Wh




BA6720T-2 12.0Ah 2-Pack (1,344 total Wh)

FROM EMPTY TO FULLY CHARGED, In Just 30 Min

With a range of battery sizes available from 2.5Ah to 12Ah, you can choose the power you need. When it's time to recharge, the EGO POWER+ Turbo Charger is among the fastest on the market. The intelligent battery control system constantly monitors each cell's charge and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. So you'll always have a battery ready for all-day power and run time.



CH5500

550W RAPID CHARGER

- Fan-Cooled
- Intelligent Charging Technology
- Integrated LED
- Charging Indicator

CH2800D 280W DUAL PORT CHARGER

- Fan-Cooled
- Intelligent Charging Technology
- Sequential Charging
- with Dual Ports • Charge 2 EGO
- Batteries in Series



CH7000 700W TURBO CHARGER

- Fan-Cooled
- Intelligent Charging Technology
 Integrated LED



CH3200 320W CHARGER

- Fan-CooledIntelligent Charging
- Technology
- Integrated LED
 Charging Indicator

CH2100 210W STANDARD CHARGER

- Fan-Cooled
- Intelligent Charging
- Technology
- Integrated LED Charging Indicator



| | | BA1400T | BA2242T | BA2800T | BA3360T | BA4200T | BA4480T | BA5600T | BA6720T |
|-----------------|---------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| BATTERY | | 2.5Ah | 4.0Ah | 5.0Ah | 6.0Ah | 7.5Ah | 8.0Ah | 10.0Ah | 12.0Ah |
| CAPACITY | | 140Wh | 224Wh | 280Wh | 336Wh | 420Wh | 448Wh | 560Wh | 672Wh |
| | CH2100 | 50 MINUTES | 80 MINUTES | 100 MINUTES | 120 MINUTES | 145 MINUTES | 160 MINUTES | 190 MINUTES | 230 MINUTES |
| | CH3200 | 35 MINUTES | 55 MINUTES | 70 MINUTES | 80 MINUTES | 100 MINUTES | 105 MINUTES | 130 MINUTES | 160 MINUTES |
| CHARGE TIMES | CH2800D | 40 MINUTES (2 BATTERIES) | 60 MINUTES (2 BATTERIES) | 80 MINUTES (2 BATTERIES) | 90 MINUTES (2 BATTERIES) | 120 MINUTES (2 BATTERIES) | 130 MINUTES (2 BATTERIES) | 160 MINUTES (2 BATTERIES) | 180 MINUTES (2 Batteries) |
| | CH5500 | 30 MINUTES | 30 MINUTES | 40 MINUTES | 45 MINUTES | 60 MINUTES | 65 MINUTES | 70 MINUTES | 90 MINUTES |
| | CH7000 | 30 MINUTES | 25 MINUTES | 30 MINUTES | 35 MINUTES | 45 MINUTES | 50 MINUTES | 60 MINUTES | 75 MINUTES |
| WEIGHT | | 2.8 LBS | 4.7 LBS | 4.8 LBS | 6.2 LBS | 6.3 LBS | 6.7 LBS | 7.4 LBS | 7.9 LBS |
| WARRANTY | | 3 YEARS | 3 YEARS | 5 YEARS | 5 YEARS |









ONE BATTERY POWERS



COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

ZT5207L Power+ 52" Z6 Zero Turn Riding Mower



COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES



ZT4204L Power+ 42" Z6 Zero Turn Riding Mower



| | ZT5207L | ZT4205S | ZT4204L |
|--------------------------|-------------------------------|-------------------------------|-------------------------------|
| BATTERY / CHARGER | (6) 12.0Ah / 1600W | (4) 12.0Ah / 1600W | (4) 10.0Ah / 1600W |
| HORSEPOWER | 25 HP | 22 HP | 22 HP |
| WATTS / WH | 20,000 / 4,032 | 13,440 / 2,688 | 17,920 / 2,240 |
| DECK WIDTH | 52 INCH FABRICATED | 42 INCH STAMPED | 42 INCH STAMPED |
| CUT AREA | UP TO 4 ACRES | UP TO 2.5 ACRES | UP TO 2 ACRES |
| CUT-HEIGHTS | 10: 1.5-4.5" | 10: 1.5-4.5" | 10: 1.5-4.5" |
| STEERING | LAP BARS | E-STEER™ | LAP BARS |
| WEATHER RESISTANT RATING | IPX4 | IPX4 | IPX4 |
| WARRANTY | 5-YEAR TOOL 5-YEAR BATTERY | 5-YEAR TOOL 5-YEAR BATTERY | 5-YEAR TOOL 5-YEAR BATTERY |



EXCEEDS THE POWER OF GAS



COMBINES THE Power of Two or more Ego arc lithium™ Batteries

POWER

 BATTERY / CHARGER
 (6) 6.0Ah / 700W

 HORSEPOWER
 22 HP

 WATTS / WH
 20,160 / 2,016

 DECK WIDTH
 42 INCH STAMPED

 CUT AREA
 UP TO 1.5 ACRES

 CUT-HEIGHTS
 12: 1.5-4.5"

 WARRANTY
 5/YEAR TOOL, 5-YEAR BATTERY



YOU'VE NEVER SEEN BATTERY POWER LIKE THIS

GO







LM2150SP Battery and charger not included. LM2156SP-2 Includes (2) 10.0Ah batteries and 700W charger.

LM2135SP



LM2133 POWER+ 21" SELECT CUT™ MOWER



Additional SKU Configurations: LM2130 Battery and charger not included. LM2135 Includes 7.5Ah battery and 550W charger.

LM2125SP Power+ 21" Self-Propelled Mower With Touch Drive™ Self-Propelled Technology



Additional SKU Configurations: LM2122SP-2 Includes (2) 4.0Ah batteries and 550W charger. LM2123SP-2 Includes 4.0Ah and 6.0Ah battery and 550W charger.



Additional SKU Configurations: LM2112 Includes 4.0Ah battery and 320W charger.

LM2114SP Power+ 21" Self-Propelled Mower



Additional SKU Configurations: LM2110SP Battery and charger not included.



MOWER COMPARISON CHART

| | LM2206SP | LM2156SP | LM2142SP | LM2135SP | LM2133 | LM2125SP | LM2114SP | LM2114 |
|--------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| BATTERY / CHARGER | 10.0Ah / 700W | 10.0Ah / 700W | (2) 5.0Ah / 550W | 7.5Ah / 550W | 5.0Ah / 550W | 7.5Ah / 550W | 6.0Ah / 320W | 6.0Ah / 320W |
| CUTTING TORQUE | MAX 11.1 FT-LBS | 8.3 FT-LBS | 8.3 FT-LBS | 7.0 FT-LBS | 7.0 FT-LBS | 6.0 FT-LBS | 6.0 FT-LBS | 6.0 FT-LBS |
| RUN TIME* | 70 MINUTES | 75 MINUTES | 80 MINUTES | 60 MINUTES | 45 MINUTES | 60 MINUTES | 50 MINUTES | 55 MINUTES |
| DECK WIDTH | 22 INCHES | 21 INCHES |
| SELF-PROPELLED | YES | YES | YES | YES | NO | YES | YES | NO |
| CUTTING SPEED CONTROL | MULTI SPEED Settings | AUTO SENSING Variable speed** |
| DECK MATERIAL | CAST ALUMINUM | POLY |
| NO-LOAD SPEED | 3,100 RPM | 2,800 RPM |
| CUT-HEIGHT SETTINGS | 8 SETTINGS (1"-4") | 8 SETTINGS (1"-4") | 6 SETTINGS (1.5"-4") | 8 SETTINGS (1"-4") | 8 SETTINGS (1"-4") | 7 SETTINGS (1.25"-4") | 7 SETTINGS (1.25"-4") | 7 SETTINGS (1.25"-4") |
| BAG SIZE | 2.5 BUSHEL | 2.0 BUSHEL |
| MULCHING | YES; W/ PLUG |
| SELECT CUT™ COMPATIBLE | YES | YES | NO | YES | YES | NO | NO | NO |
| VERTICAL STORAGE | YES |
| WEIGHT WITHOUT BATTERY | 83.8 LBS | 54.5 LBS | 55.8 LBS | 54.5 LBS | 49.4 LBS | 51.1 LBS | 50.9 LBS | 45.2 LBS |
| WEATHER RESISTANT RATING | IPX4 |
| WARRANTY | 5-YEAR TOOL 5-YEAR BATTERY*** | 5-YEAR TOOL 5-YEAR BATTERY*** | 5-YEAR TOOL 3-YEAR BATTERY |

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

**Auto Sensing Variable Speed delivers optimal cutting speed to maximize battery run time while maintaining grass cutting performance.

***With registration, lifetime warranty on the deck



SELECT CUT™ MULTI-BLADE SYSTEM

The Select Cut[™] Multi-Blade Cutting System is equipped with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Runtime Blade. The Mulching Blade comes installed on the lawn mower and is ideal for weekly mulching, giving you the mulching quality expected from a high-end gas lawn mower. The High Lift Bagging Blade provides extra suction ideal for bagging, leaving your yard free of clippings. The Extended Runtime Blade provides an optimal balance of cut quality and runtime for all around performance. All three blades can be used interchangeably based on your desired cut. The Upper Blade is used in combination with the lower blade chosen to slice the grass into fine fragments, greatly enhancing cutting performance with all grass types.

TOUCH DRIVE™ TECHNOLOGY

Engage the self-propel function with the touch of your palm, change the speed at the same time with the scroll of a dial.




WORLD'S MOST INNOVATIVE STRING TRIMMER ASSORTMENT



Additional SKU Configurations: ST1620T Battery and charger not included.





ST1502SA





PATENTED POWERLOAD™ TECHNOLOGY

POWERLOAD™ FEED THE LINE PUSH A BUTTON

STRING TRIMMER COMPARISON CHART



Insert the line into the eyelet and push the line through until the end comes out of the opposite eyelet.



STEP 2

Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.



STEP 3 Press and hold the line-loading button to start the line-winding motor.

ST1623T ST1521S ST1511T ST1502SA CUTTING WIDTH **16 INCHES 15 INCHES 15 INCHES 15 INCHES RUN TIME* 60 MINUTES 30 MINUTES 45 MINUTES 30 MINUTES KITTED BATTERY** 4.0Ah 2.5Ah 2.5Ah 2.5Ah SPEED CONTROL 2-SPEED VARIABLE VARIABLE 2-SPEED VARIABLE VARIABLE NO LOAD SPEEDS 3,500-4,800 / 4,000-5,500 RPM 4,000-5,800 RPM 3,500-4,500 / 4,000-5,800 RPM 4,000-5,800 RPM SOFT START YFS YFS YFS YES SHAFT MATERIAL **TELESCOPIC CARBON FIBER CARBON FIBER TELESCOPIC ALUMINUM** ALUMINUM LINE DIAMETER 0.095 INCHES 0.095 INCHES 0.095 INCHES 0.095 INCHES DUAL LINE YES YES YES YES MOTOR TYPE BRUSHLESS MOTOR **BRUSHLESS MOTOR BRUSHLESS MOTOR BRUSHLESS MOTOR** WEIGHT WITHOUT BATTERY 7.5 LBS 7.7 LBS 7.3 LBS 7.5 LBS WATER RESISTANCE RATING IPX4 IPX4 IPX4 IPX4 WARRANTY **5-YEAR TOOL 5-YEAR TOOL 5-YEAR TOOL 5-YEAR TOOL 3-YEAR BATTERY 3-YEAR BATTERY 3-YEAR BATTERY 3-YEAR BATTERY**

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

EGO POWER⁺ STRING TRIMMER | 21



1 11

MORE POWER THAN A HANDHELD GAS BLOWER



Additional SKU Configurations: LB7650 Battery and charger not included. LB7654-2 Includes 2.5Ah battery and 550W charger.





LB5302 Power+ 530 CFM Blower

VARIABLE SPEED MINUTES RUNTIME 2.5Ah BATTERY 6 210W CHARGER



Additional SKU Configurations: LB5300 Battery and charger not included.



BLOWER COMPARISON CHART

| | LB7654 | LB6703 | LB6151 | LB5302 |
|---------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| AIR VOLUME (CFM) | 765 | 670 | 615 | 530 |
| AIR SPEED (MPH) | 200 (WITH TAPERED NOZZLE) | 180 (WITH TAPERED NOZZLE) | 170 (WITH TAPERED NOZZLE) | 130 |
| LOW SPEED RUNTIME* | UP TO 150 MINUTES | UP TO 160 MINUTES | UP TO 100 MINUTES | UP TO 75 MINUTES |
| HIGH SPEED RUNTIME* | UP TO 25 MINUTES | UP TO 24 MINUTES | UP TO 15 MINUTES | UP TO 22 MINUTES |
| TURBO RUNTIME | UP TO 15 MINUTES | UP TO 12 MINUTES | UP TO 10 MINUTES | UP TO 10 MINUTES |
| KITTED BATTERY | 5.0Ah | 4.0Ah | 2.5Ah | 2.5Ah |
| SPEED SETTING | VARIABLE/CRUISE CONTROL | VARIABLE/CRUISE CONTROL | VARIABLE/CRUISE CONTROL | VARIABLE |
| SOUND PRESSURE | 64dB | 64dB | 62dB | 62dB |
| MOTOR TYPE | BRUSHLESS MOTOR | BRUSHLESS MOTOR | BRUSHLESS MOTOR | BRUSHLESS MOTOR |
| WEIGHT WITHOUT BATTERY | 4.6 LBS | 4.8 LBS | 4.6 LBS | 4.6 LBS |
| WEATHER RESISTANCE RATING | IPX4 | IPX4 | IPX4 | IPX4 |
| WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY | 5-YEAR TOOL 3-YEAR BATTERY |

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



HALF THE WEIGHT OF GAS BACKPACK BLOWERS*

*Based on comparable gas backpack models

LB6003 Power+ 600 CFM Backpack Blower



Additional SKU Configurations: LB6000 Battery and charger not included. LB6002 Includes 5.0Ah battery and 210W charger. LB6004 Includes 7.5Ah battery and 550W charger.

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.

3-YEAR BATTERY



THE EGO NULTERS SYSTEN, DNE HEAD POWERS NULTIPLE THE C

CCQ FUNER

HEDGE TRIMMER


STRING TRIMMER

II II II II

EDGER

POLE SAW





PH1400 Power+ Multi-Head Power Head



| | PH1400 | PH1420 | MULTI-TOOL SETS | INCLUDES |
|----------------------|------------------------|--------------------------|-----------------|----------------------------|
| MOTOR TYPE | BRUSHLESS MOTOR | BRUSHLESS MOTOR | ME0800 | PH1400, EA0800 |
| ROTATING DIRECTION | COUNTER-CLOCKWISE | COUNTER-CLOCKWISE | ME0801 | PH1400, EA0800 |
| SPEED CONTROL | 2-SPEED VARIABLE | DIGITAL 2-SPEED VARIABLE | MHC1502 | PH1400, STA1500 and EA0800 |
| DRIVE SHAFT MATERIAL | 7MM SOLID STEEL | 7MM SOLID STEEL | MHC1603 | PH1420, STA1600 and EA0820 |
| DRIVE TUBE TYPE | ALUMINIUM | CARBON FIBER | MHT2001 | PH1400, HTA2000 |
| COUPLING MECHANISM | TOOL-FREE QUICK CHANGE | TOOL-FREE QUICK CHANGE | MPS1001 | PH1400, PSA1000 |
| WEIGHT | 5.8 LBS | 6.1 LBS | MSS1203 | PH1400, SSA1200 |
| WARRANTY | 5-YEAR TOOL | 5-YEAR TOOL | MST1501 | PH1400, STA1500 |
| | | | MST1603 | PH1420, STA1600 |



STA1500 Power+ Multi-Head 15" String Trimmer Attachment



| CUTTING SPEED | 5,000-6,000 RPM | | | | |
|------------------------|--|--|--|--|--|
| RUN TIME* | WITH 2.5AhWITH 5.0AhWITH 7.5AhUP TO 18 MINUTESUP TO 45 MINUTESUP TO 72 MINUTES | | | | |
| CUTTING WIDTH | 15 INCHES | | | | |
| CUTTING HEAD | RAPID RELOAD TRIMMER HEAD | | | | |
| LINE DIAMETER | .095 INCHES | | | | |
| SHAFT MATERIAL | ALUMINUM | | | | |
| WEIGHT WITHOUT BATTERY | 3.5 LBS | | | | |
| TOTAL LENGTH | 38 INCHES | | | | |
| WARRANTY | 5-YEAR TOOL | | | | |

PSA1000 Power+ Multi-Head 10" Pole Saw Attachment



| CUTTING SPEED | 15 M/S | | | | |
|------------------------|-----------------------------|------------------------------|------------------------------|--|--|
| RUN TIME* | WITH 2.5Ah UP TO 70 CUTS | WITH 5.0Ah UP TO 140 CUTS | WITH 7.5Ah Up to 210 cuts | | |
| GUIDE BAR LENGTH | 10 INCHES | | | | |
| BLADE MATERIAL | OREGON 90PX040X | | | | |
| MAX. CUTTING DIAMETER | 8 INCHES | | | | |
| CHAIN SPECS | .375 INCH PITCH; .043 | 3 INCHES GAUGE | | | |
| OIL TANK CAPACITY | 7.4 OUNCES | | | | |
| SHAFT MATERIAL | ALUMINUM | | | | |
| WEIGHT WITHOUT BATTERY | 4.2 LBS | | | | |
| TOTAL LENGTH | 56 INCHES | | | | |
| WARRANTY | 5-YEAR TOOL | | | | |

EAO8OO Power+ Multi-Head 8" Edger Attachment



| CUTTING SPEED | 3,400-4,000 RPM | | |
|------------------------------|-------------------------------|---------------------------------------|--|
| RUN TIME* | WITH 2.5Ah Not recommended | WITH 5.0Ah UP TO 60 MINUTES | WITH 7.5Ah UP TO 100 MINUTES |
| CUTTING DEPTH | UP TO 3 INCHES | | |
| BLADE LENGTH | 8 INCHES | | |
| BLADE THICKNESS | 0.12 INCHES | | |
| BLADE ARBOR HOLE SIZE | 1 INCH | | |
| GUIDE WHEEL SIZE | 5" x 1.5" | | |
| DEBRIS GUARD MATERIAL | ALUMINUM CASTING | | |
| SHAFT MATERIAL | ALUMINUM | | |
| WEIGHT WITHOUT BATTERY | 5.0 LBS | | |
| TOTAL LENGTH | 36 INCHES | | |
| WARRANTY | 5-YEAR TOOL | | |

CTA9500 Power+ Multi-Head 9.5" cultivator attachment



| CUTTING SPEED | 210-240 RPM | | | | | |
|------------------------|---|---------------------------------------|--|--|--|--|
| RUN TIME* | WITH 2.5Ah UP TO 40 MINUTES | WITH 5.0Ah UP TO 80 MINUTES | WITH 7.5Ah UP TO 120 MINUTES | | | |
| CUTTING WIDTH | ADJUSTABLE 2 Blades: 8 inches / 4 blades: 9.5 inches | | | | | |
| BLADE MATERIAL | STEEL | STEEL | | | | |
| SHAFT MATERIAL | ALUMINUM | | | | | |
| WEIGHT WITHOUT BATTERY | 8.59 LBS | | | | | |
| TOTAL LENGTH | 39 INCHES | | | | | |
| WARRANTY | 5-YEAR TOOL | | | | | |

HTA2000

POWER+ MULTI-HEAD 20" HEDGE TRIMMER ATTACHMENT



| CUTTING SPEED | 2,800-3,200 SPM | | | | |
|------------------------|---------------------------------------|---------------------------------------|--|--|--|
| RUN TIME* | WITH 2.5Ah UP TO 37 MINUTES | WITH 5.0Ah UP TO 82 MINUTES | WITH 7.5Ah UP TO 122 MINUTES | | |
| BLADE LENGTH | 20 INCHES | | | | |
| CUTTING CAPACITY | 1 INCH | | | | |
| FIXED CUTTING ANGLES | 12 POSITIONS | | | | |
| BLADE MATERIAL | DOUBLE-SIDED LASER | -CUT STEEL BLADE | | | |
| SHAFT MATERIAL | ALUMINUM | | | | |
| WEIGHT WITHOUT BATTERY | 5.9 LBS | | | | |
| TOTAL LENGTH | 63 INCHES | | | | |
| WARRANTY | 5-YEAR TOOL | | | | |

BBA2100 Power+ Multi-Head Bristle Brush Attachment



SPEED 210-240 RPM **RUN TIME*** WITH 2.5Ah WITH 5.0Ah WITH 7.5Ah UP TO 50 MINUTES UP TO 100 MINUTES UP TO 150 MINUTES 22 INCHES **CLEANING WIDTH** SHAFT MATERIAL ALUMINUM WEIGHT WITHOUT BATTERY 11 LBS TOTAL LENGTH **40 INCHES** WARRANTY **5-YEAR TOOL**

RBA2100 Power+ Multi-Head Rubber broom Attachment



| SPEED | 210-240 RPM | | |
|------------------------|--|--|--|
| RUN TIME* | WITH 2.5AHh UP TO 50 MINUTES | WITH 5.0Ah UP TO 100 MINUTES | WITH 7.5Ah UP TO 150 MINUTES |
| CLEANING WIDTH | 21 INCHES | | |
| SHAFT MATERIAL | ALUMINUM | | |
| WEIGHT WITHOUT BATTERY | 13.8 LBS | | |
| TOTAL LENGTH | 40.5 INCHES | | |
| WARRANTY | 5-YEAR TOOL | | |

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



SSA1200 Power+ Multi-Head Snow Shovel Attachment



| SPEED | 2-SPEED / VARIABLE |
|----------------------------------|---|
| RUN TIME* | WITH 4.0Ah 4-car driveway with 6 inches of snow |
| CLEARING WIDTH | 12 INCHES |
| THROWING DISTANCE | 25 FEET |
| ADJUSTABLE THROWING Direction | 30° LEFT AND 30° RIGHT |
| SHAFT MATERIAL | ALUMINUM |
| WEIGHT WITHOUT BATTERY | 11.4 LBS |
| TOTAL LENGTH | 31 INCHES |
| WARRANTY | 5-YEAR TOOL |

STA1600

POWER+ MULTI-HEAD 16" CARBON FIBER String trimmer attachment With Powerload™



| CUTTING SPEED | 5,000-6,000 RPM | | |
|------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| RUN TIME* | WITH 2.5Ah UP TO 18 MINUTES | WITH 5.0Ah UP TO 45 MINUTES | WITH 7.5Ah UP TO 72 MINUTES |
| CUTTING WIDTH | 16 INCHES | | |
| CUTTING HEAD | POWER LOAD TRIMMER HEAD | | |
| LINE DIAMETER | .095 INCHES | | |
| SHAFT MATERIAL | CARBON FIBER | | |
| WEIGHT WITHOUT BATTERY | 3.4 LBS | | |
| TOTAL LENGTH | 38 INCHES | | |
| WARRANTY | 5-YEAR TOOL | | |

*POWERLOAD" functionality only compatible with PH1420

PSA1020

POWER+ MULTI-HEAD CARBON FIBER Polesaw Attachment



| CUTTING SPEED | 15 M/S | | |
|------------------------|------------------------------------|------------------------------|------------------------------|
| RUN TIME* | WITH 2.5Ah UP TO 70 CUTS | WITH 5.0Ah UP TO 140 CUTS | WITH 7.5Ah UP TO 210 CUTS |
| GUIDE BAR LENGTH | 10 INCHES | | |
| BLADE MATERIAL | OREGON 90PX040X | | |
| MAX. CUTTING DIAMETER | 8 INCHES | | |
| CHAIN SPECS | .375 INCH PITCH; .043 INCHES GAUGE | | |
| OIL TANK CAPACITY | 7.4 DUNCES | | |
| SHAFT MATERIAL | CARBON FIBER | | |
| WEIGHT WITHOUT BATTERY | 3.9 LBS | | |
| TOTAL LENGTH | 56 INCHES | | |
| WARRANTY | 5-YEAR TOOL | | |

EAO820 Power+ Multi-Head Carbon Fiber Edger Attachment



| CUTTING SPEED | 3,400-4,000 RPM | | |
|------------------------------|-------------------------------|---------------------------------------|--|
| RUN TIME* | WITH 2.5Ah Not recommended | WITH 5.0Ah UP TO 60 MINUTES | WITH 7.5Ah UP TO 100 MINUTES |
| CUTTING DEPTH | UP TO 3 INCHES | | |
| BLADE LENGTH | 8 INCHES | | |
| BLADE THICKNESS | 0.12 INCHES | | |
| BLADE ARBOR HOLE SIZE | 1 INCH | | |
| GUIDE WHEEL SIZE | 5" x 1.5" | | |
| DEBRIS GUARD MATERIAL | ALUMINUM CASTING | | |
| SHAFT MATERIAL | CARBON FIBER | | |
| WEIGHT WITHOUT BATTERY | 5.0 LBS | | |
| TOTAL LENGTH | 36 INCHES | | |
| WARRANTY | 5-YEAR TOOL | | |

HTA2020

POWER+ MULTI-HEAD 20" CARBON FIBER HEDGE TRIMMER ATTACHMENT



| CUTTING SPEED | 2,800-3,200 SPM | | |
|------------------------|------------------------------------|---------------------------------------|--|
| RUN TIME* | WITH 2.5Ah Up to 37 minutes | WITH 5.0Ah UP TO 82 MINUTES | WITH 7.5Ah UP TO 122 MINUTES |
| BLADE LENGTH | 20 INCHES | | |
| CUTTING CAPACITY | 1 INCH | | |
| FIXED CUTTING ANGLES | 12 POSITIONS | | |
| BLADE MATERIAL | DOUBLE-SIDED LASER-CUT STEEL BLADE | | |
| SHAFT MATERIAL | CARBON FIBER | | |
| WEIGHT WITHOUT BATTERY | 5.1 LBS | | |
| TOTAL LENGTH | 63 INCHES | | |
| WARRANTY | 5-YEAR TOOL | | |

EP7500 Power+ Multi-Head Extension Pole Attachment

EP7501 Power+ Multi-Head Carbon Fiber Extension Pole

For use with Multi-Head Pole Saw Attachments: **PSA1000, PSA1020** only



*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



ADVANCED TOOL-FREE TENSIONING TECHNOLOGY







CS1804 Power+ 18" Cordless Chain Saw



CS1800 Battery and charger not included. CS1803 Includes 4.0Ah battery and 210W charger. CS1804-2 Includes two 5.0Ah batteries and 550W charger.

CS1611 Power+ 16" Chain Saw (40CC)





Additional SKU Configurations: CS1610 Battery and charger not included. CS1613 Includes 4.0Ah battery and 210W charger.



<mark>CS1401</mark> Power+ 14" Chain Saw

130

)

UP TO 130 cuts







Additional SKU Configurations: CS1600 Battery and charger not included. Additional SKU Configurations: CS1400 Battery and charger not included. CS1403 Includes 2.0Ah battery and 210W charger.

CHAIN SAW COMPARISON CHART

| | CS2005 | CS1804 | C\$1611 | CS1604 | CS1401 |
|---------------------------|---|---|---|---|---|
| BAR & CHAIN SPECS | 20 INCH 3/8" PITCH, .050" Gauge, 69 Drive Links | 18 INCH 3/8" PITCH, .050" GAUGE, 62 DRIVE LINKS | 16 INCH 3/8" PITCH, .043" GAUGE, 56 DRIVE LINKS | 16 INCH 3/8" Pitch, .043" Gauge, 56 Drive Links | 14 INCH 3/8" PITCH, .043" GAUGE, 52 DRIVE LINKS |
| MOTOR TYPE | BRUSHLESS MOTOR |
| CC POWER EQUIVALENT | 50CC | 45CC | 40CC | 35CC | 30CC |
| RUN TIME* | 135 CUTS (6x6 LUMBER) | 300 CUTS (4x4 LUMBER) | 130 CUTS (4x4 LUMBER) | 250 CUTS (4x4 LUMBER) | 130 CUTS (4x4 LUMBER) |
| BATTERY CAPACITY | 6.0Ah | 5.0Ah | 2.5Ah | 5.0Ah | 2.5Ah |
| CHAIN SPEED | 25 M/S | 20 M/S | 20 M/S | 13.5 M/S | 13.5 M/S |
| OIL RESERVOIR | 6.76 OUNCES | 7 OUNCES | 5 OUNCES | 5 OUNCES | 5 OUNCES |
| AUTOMATIC OILING | YES | YES | YES | YES | YES |
| TOOL-FREE TENSIONING | NO | YES | YES | YES | YES |
| CHAIN BRAKE | YES | YES | YES | YES | YES |
| WEIGHT WITHOUT BATTERY | 13 LBS | 9.6 LBS | 9.0 LBS | 8.5 LBS | 8.2 LBS |
| WEATHER RESISTANCE RATING | IPX4 | IPX4 | IPX4 | IPX4 | IPX4 |
| WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |

*Run time may vary depending on the charge level of the battery and user's operation technique.



INDUSTRY'S FIRST LED CUT LINE INDICATOR




Additional SKU Configurations: **PS1000** Battery and charger not included.

*Run time may vary depending on the charge level of the battery and user's operation technique.



BALANCED, CONTROLLED, POWERFUL CUTTING



Additional SKU Configurations: HT2600 Battery and charger not included.



| | HT2601 | HT2501 | HT2411 |
|--|-------------------------------|--|------------------------------|
| BLADE LENGTH | 26 INCHES | 25 INCHES | 24 INCHES |
| BLADE GAP | 1.2 INCHES | 1.25 INCHES | 1 INCH |
| RUN TIME* with included 2.5Ah battery | UP TO 60 MINUTES | UP TO 40 MINUTES | UP TO 75 MINUTES |
| SPEED CONTROL | SINGLE SPEED | 2-SPEED SETTING (HIGH/LOW) | SINGLE SPEED |
| NO LOAD SPEEDS | 3,400 SPM | 2,800/3,200 SPM | 3,000 SPM |
| BLADE TYPE | DIAMOND GROUND CUTTING BLADES | LASER CUT, DIAMOND GROUND CUTTING BLADES | HARDENED STEEL CUTTING BLADE |
| CUTTING ACTION | DOUBLE-SIDED CUTTING BLADE | DOUBLE-SIDED CUTTING BLADE | DOUBLE-SIDED CUTTING BLADE |
| WEIGHT WITHOUT BATTERY | 6.92 LBS | 8.4 LBS | 6.16 LBS |
| WEATHER RESISTANCE RATING | IPX4 | IPX4 | IPX4 |
| WARRANTY | 5-YEAR TOOL, 3-YEAR BATTERY | 5-YEAR TOOL, 3-YEAR BATTERY | 5-YEAR TOOL, 3-YEAR BATTERY |

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



EG0803 Power+ Earth Auger



| BATTERY / CHARGER | 4.0Ah / 320W |
|------------------------------|-------------------------------|
| TORQUE | 65 FT-LBS |
| RUN TIME with included 4.0Ah | 50+ HOLES |
| MOTOR | BRUSHLESS MOTOR |
| SHAFT SPEED | HIGH: 210 RPM Low: 150 RPM |
| CUTTING DIAMETER | 8 INCHES |
| AUGER BIT LENGTH | 32 INCHES |
| WEIGHT WITHOUT BATTERY | 33 LBS |
| WEATHER RESISTANT RATING | IPX4 |
| WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |
| | |



Additional SKU Configurations: EGOBOO Battery and Charger not included.

> ADDITIONAL AUGER ACCESSORIES ON PAGE 67.





| BATTERY / CHARGER | 5.0Ah / 320W |
|------------------------------|-------------------------------|
| TORQUE | 65 FT-LBS |
| RUN TIME with included 5.0Ah | 2,500 INCHES |
| MOTOR | BRUSHLESS MOTOR |
| SHAFT SPEED | HIGH: 210 RPM Low: 150 RPM |
| CUTTING DIAMETER | 8 INCHES |
| AUGER BIT LENGTH | 39 INCHES |
| WEIGHT WITHOUT BATTERY | 30 LBS |
| WEATHER RESISTANT RATING | IPX4 |
| WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |
| | |

HIGH AND LOW SPEEDS PLUS REVERSE FUNCTION ALLOW EFFICIENT DIGGING CUTS UP TO 2,500 INCHES OF ICE ON A single charge with the included 56V 5.0AH ARC lithium* battery NEW 🖉 GC HIGH-EFFICIENCY Brushless Motor Delivers 65 FT-LBS OF UNIVERSAL 7/8" BIT Connection compatible With ICE and Earth Bits TORQUE TO DRILL THROUGH THE THICKEST ICE FOR ADDED VERSATILITY ANTI-KICKBACK Protection safeguards ERGONOMIC HANDLE DESIGN MAKES THE AUGER EASY TO MANEUVER AND FROM UNEXPECTED JAMS **IMPROVES SAFETY** 8" ICE AUGER DRILL BIT INCLUDED

Additional SKU Configurations: IGO800 Battery and Charger not included.

> ADDITIONAL AUGER ACCESSORIES ON PAGE 67.



POWER MORE POSSEBBILIES





HPW3204-2 Power+ 3200PSI Pressure Washer





| BATTERY / CHARGER | (2) 6.0Ah / 320W |
|----------------------------------|-------------------------------------|
| PSI | 3200 MAX |
| GPM | 1.2/2.0 MAX |
| RUN TIME with two included 6.0Ah | 60 MINUTES |
| MOTOR | BRUSHLESS MOTOR |
| INCLUDED NOZZLES | TURBO 15° 25° 40° RINSE |
| WEIGHT WITHOUT BATTERY | 36.2 LBS |
| WEATHER RESISTANT RATING | IPX4 |
| WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |

Includes flexible high-pressure hose, siphon hose, quick-connect short pressure washer gun, quick-connect wand lance, stainless steel wand, foam cannon, and filter. TELESCOPIC HANDLE PULLS OUT FOR EASY TRANSPORT AND COLLAPSES FOR COMPACT STORAGE



QUICK CONNECTION POINTS FOR HOSE AND WAND ALLOW EASY SETUP AND BREAKDOWN

CONNECT TO GARDEN HOSE OR DRAW FROM ANY FRESH WATER SOURCE WITH INCLUDED SIPHON HOSE

Additional SKU Configurations: HPW3200 Battery and Charger not included.

) ADDITIONAL PRESSURE WASHER ACCESSORIES ON PAGE 68.

WDV0904 Power+ 9 Gallon Wet/Dry Vacuum



| BATTERY / CHARGER | 5.0Ah / 320W |
|------------------------------|---|
| CFM | 110 MAX |
| RUN TIME with included 5.0Ah | 60 MINUTES |
| SUCTION POWER LIFT | 100 INCH MAX |
| MOTOR | BRUSHLESS MOTOR |
| TANK SIZE | 9 GALLON |
| INCLUDED ACCESSORIES | DUST BAG Extension tube (2X) Crevice Nozzle Round Brush dust Nozzle Large Floor Nozzle Rubber Bar Compact Floor Nozzle Vacum Hose Remote Control Charging Cable For Remote Power Tool Adapter |
| WEIGHT WITHOUT BATTERY | 26.7 LBS |
| WEATHER RESISTANT RATING | IPX4 |
| WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |



FILTER CLEANING FUNCTION KEEPS WET/DRY VACUUM FILTER CLEAN FOR MAXIMUM SUCTION AND EFFICIENCY

WIRELESS REMOTE

- LED LIGHT
- ENABLE TURBO
- MODE
- START/STOP
- CHARGED VIA USB-C

Additional SKU Configurations: WDV0900 Battery and Charger not included.

> ADDITIONAL WET/DRY VACUUM ACCESSORIES ON PAGE 68.


ONBOARD STORAGE Conveniently stores Nozzles, extensions, AND Hose



POWERTO MATCH VOURTESTUE











POWERFUL, QUIET Acceleration with top Speeds up to 28 Mph

G

52 | EGO POWER⁺ MINI BIKE







Additional SKU Configurations: MB1000 Battery and Charger not included.



| TOP SPEED | 28 MPH |
|--------------------------|----------------|
| MOTOR POWER | 1000W RATED |
| RANGE* | UP TO 20 MILES |
| WEIGHT WITHOUT BATTERY | 140 LBS |
| WEATHER RESISTANT RATING | IPX4 |
| WARRANTY | 1 YEAR |

*Range may vary and depend on the battery used, charge level of battery, and user's operation technique.



POWER^P PORTABLE POWER

POWER UP ANYWHERE

PAD1800 Power+ Nexus Escape 180W Inverter

Pure sine wave delivers high-quality, clean power to sensitive electronics



PAD5000 Power+ Nexus Escape 400W Inverter

Power up to four total devices simultaneously or charge your 56V EGO Battery



| | PAD1800 | PAD5000 |
|----------------|------------------------------|--|
| POWER OUTPUT | 180W CONTINUOUS 300W PEAK | 400W CONTINUOUS 800W PEAK |
| WAVE | PURE SINE | PURE SINE |
| OUTLETS | 120V AC | 120V AC |
| PORTS | USB-A USB-C PD 100W OUT | USB-C PD IN/OUT (100W) USB-C (18W) USB-A (18W) |
| BUILT IN LIGHT | YES | YES |
| WARRANTY | 5-YEAR TOOL | 5-YEAR TOOL |

PST3042 Power+ Nexus Portable Power Station

World's first battery power source to match gas generators

| BATTERY | (2) 7.5Ah |
|--------------------------|--------------------------------------|
| POWER OUTPUT | 2000W CONTINUOUS 3000W PEAK |
| OUTLETS | (3) 120V AC |
| PORTS | (4) USB-A |
| DISPLAY | BRIGHT LED DISPLAY Shows run time |
| CONSTRUCTION | ROBUST STEEL HANDLES |
| BATTERY CHARGER | 4 PORTS (WHEN PLUGGED IN) |
| USAGE | INDOOR AND OUTDOOR |
| WEATHER RESISTANT RATING | IPX4 |
| WARRANTY | 5-YEAR TOOL 3-YEAR BATTERY |



Additional SKU Configurations: **PST3040** Power Station only **PST3041** Includes (4) 5.0Ah batteries

CHARGES UP TO FOUR EGO ARC LITHIUM™ BATTERIES



CH1800 Power+ Nexus Solar Panel Charger

The EGO Solar Panel Charger is the only charger approved for use with the EGO Nexus Power Station.



SP1000 Power+ 100w Solar Panel

This compact, lightweight solar panel sets up easily with two kickstands and folds for easy travel and storage. The panels feature monocrystalline cell construction for high-efficiency solar energy conversion.



TAKE ON ANYTHING WINTER THROWS AT YOU



Additional SKU Configurations: SNT2800 Battery and Charger not included.



SNT2416 Power+ 24" Self-Propelled 2-Stage XP Snow Blower With Peak Power™



SNT2405 Power+ 24" Self-Propelled 2-Stage Snow Blower With Peak Power™





SNT2125AP

POWER+ AUGER-PROPELLED SNOW BLOWER



21" CLEARING WIDTH

Additional SKU Configurations: SNT2120AP Battery and Charger not included.



With the included 2 x 7.5Ah ARC Lithium™ batteries



SNT2102 Power+ Snow Blower with Peak Power™



Additional SKU Configurations: SNT2100 Battery and charger not included. SNT2101 Includes (2) 4.0Ah batteries and 320W charger.



MSS1203 Ego Power+ Multi-Head Snow Shovel







25° DIRECTIONAL Throwing distance



POWER+ MOWER

AB2000

Standard blade for LM2002, LM2101 and LM2022SP

AB2100

Standard blade for LM2101 and LM2102SP



AB2101

High-lift blade for 20-inch lawn mowers



. 0

....

...

AB2100D

Mulching dual blade set for Select Cut 21-inch lawn mowers

AB2101D

Bagging dual blade set for Select Cut 21-inch lawn mowers



21-inch mulching blade



AB2200D

22-inch High-Performance Blade Set for LM2200SP

AB2201D

22-inch High-Lift Bagging Blade Set for LM2200SP

APH1000

21-inch mower phone holder



POWER+ RIDING MOWER

AB4201D

Bagging blade set for ZT4204L, ZT4205S, TR4204

AB4200D Replacement blade set for ZT4204L, ZT4205S, TR4204





ABP5200 Mulching blade set for ZT5207L



AB5201D Bagging blade set for ZT5207L



AB5200D Replacement blade set for ZT5207L

ABK4200 ZT4204L bagger kit

ABK5200 ZT5207L bagger





AMG1000

Riding mower onboard storage

AMS1000 Riding mower sun shade

ABK4200T

42-inch tractor bagging kit. Includes bagger, bagging blades, and counter weights









POWER+ CHAIN SAW BARS

AG1000

10-inch guide bar for PSA1000 and PSX2500





12-inch guide bar for CSX3000



AG1400

14-inch guide bar for CS1400



AG1600

AG1800

16-inch guide bar for CS1600

18-inch guide bar





AG1000Q

for CS1800

10-inch bar for carbon fiber pole saw models PS1000 and PSX2510



AK2005

20-inch residential chainsaw chain and bar kit



POWER+ CHAIN SAW CHAINS

AC1000

10-inch chain for PSA1000 and PSX2500. 3/8" pitch, .043 gauge, 40 drive links



12-inch chain for CSX3000 3/8" pitch, .043 gauge, 45 drive links



AC1400

AC1200

14-inch chain for CS1400 3/8" pitch, .043 gauge, 52 drive links

AC1600

16-inch chain for CS1600 3/8" pitch, .043 gauge, 56 drive links

AC1800

18-inch chain for CS1800 3/8" pitch, .043 gauge, 62 drive links



AC1000Q

10-inch chain for carbon fiber pole saw models PS1000 and PSX2510



AC2005

20-inch residential chainsaw chain



Premium oil-free bar and chain lubricant. 100% bio-based, biodegradable formula

AOL1000

Premium oil-free bar and chain lubricant. 100% bio-based, biodegradable formula



NEW



POWER+ BLOWER ATTACHMENTS

AGC1000

Gutter cleaning attachment for LB530, LB580, LB575, LB615, LB650, and LBX6000

AN5300 Nozzle for LB5300 and LB5750





AN5801 Spread nozzle for LB5800



ANGOOOF

Flat nozzle for LB6500, LB6150, LB5800 and LBX6000



ANGOOOR Nozzle for LB6500, LB6150, LB5800, and LBX6000



AST2000

Handheld blower compact tube attachment. Compatible with all EGO handheld blowers.



POWER+ SHOULDER STRAPS

AP1500

Universal shoulder strap compatible with all EGO blowers and string trimmers



POWER+ STRING TRIMMER HEADS

AH1300

15" string trimmer bump head replacement



AH1500

Rapid Reload trimmer head for ST1520SF and MST1501. AH1501 for counter-clockwise rotation

AH1520

Powerhead™ trimmer head for ST1500, ST1500F, ST1530. AH1522 for counter-clockwise rotation

AH1522

Replacement Powerload[™] string trimmer head for ST1510T

AH1620 Line-IO trimmer head for ST1623T

AH1530 Rapid Reload trimmer head for ST1502SA and ST1500SF

AH1531

Rapid Reload trimmer head for use with counter- clockwise trimmers ST1500, ST1530, MST1500, and BCA1200

AL2420PB

Pre-cut .095" premium twist trimmer line 5 Pack

AL2420P

Pre-cut .095" twisted trimmer line 5 Pack

AL2420PD

Pre-cut .095" twisted trimmer line 5 Pack

AL2470B

230 feet of .095" premium trimmer line Bulk pack



















POWER+ STRING TRIMMER HEADS CONTINUED

AL2450S

160 feet of .095" twisted trimmer line



POWER+ SINGLE STAGE SNOW BLOWER



POWER+ 2-STAGE SNOW BLOWER

| ACT2400 2-Stage Chute Cleaning Tool | |
|--|---------|
| | |
| ADC2400 | |
| 2-Stage Drift Cutters | 1100 |
| AKS2400D | |
| 2-Stage Plastic Skid Shoes (fits 24" and 28") | B |
| AKS2800D | |
| 2-Stage Metal/Plastic Skid Shoes | |
| (fits 24" and 28") | |
| ASP2400 | (m) |
| 2-Stage Shear Pin (1pack) | |
| ASP2400D | 100 H H |
| 2-Stage Shear Pin (2pack) | |
| ASS2400 | |
| 24" 2-Stage Scraper Bar | |
| ASS2800 | |
| 28" 2-Stage Scraper Bar | |

POWER+ STORAGE BAGS

BCS1000

For use with the EGO 14", 16" and 18" chain saws

BMH1000

For use with the EGO multi-head system



CBOO2 Single stage snow blower cover for SNT2100/SNT2110

CB003 2-stage snow blower cover

fits 24" 2-stage models only



EGO

CFN001 Misting fan cover



CM001 Mower cover for 20" and 21" mowers

CRM001

42" Riding mower cover



POWER+ AUGER

| AETO400 4" Earth auger bit | |
|---|-----|
| AETOGOO 6" Earth auger bit | |
| AETO800 8" Earth auger bit | |
| AET1000 10" Earth auger bit | ł |
| ABE2000 20" Auger bit extension | NEW |
| AITO800 8" Ice auger bit | NEW |
| AB08001 8" Ice auger bit blade | NEW |



POWER+ CLEANING

| AFC3200 | |
|---|-----------------------|
| Premium brass foam cannon | NEW |
| ANZ3200 | |
| High pressure washer O° nozzle | NEW |
| ANK3200 | |
| High pressure washer nozzle kit (Turbo+15°+25°+40°+ rinse nozzle) | NEW |
| AVH0907 | $\mathbf{\circ}$ |
| 1-7/8" x 7 foot vacuum hose for WDV0900 | $\boldsymbol{\Theta}$ |
| AVF0900 | |
| Flat filter for WDV0900 | |
| AVG0905 | - |
| Dust bag (5 pcs) for WDV0900 | |

POWER+ SAFETY GLASSES

GS001

Clear lenses with 99.9% UV protection, anti-scratch, impact-resistant lens

GS002

Gray lenses with 99.9% UV protection, anti-scratch, impact-resistant lens

GS003

Yellow lenses with 99.9% UV protection, anti-scratch, impact-resistant lens







POWER+ WORK GLOVES

GVOO1 Synthetic work gloves





SETTING THE NEW STANDARD

2024 PRODUCT CATALOG









TABLE OF Contents

| EGO Commercial PGX™ Charging EGO Commercial Mowers EGO Commercial Backpack Blower | 72 82 |
|---|-------------------------------|
| | |
| | EGO Commercial String Trimmer |
| EGO Commercial Bike Handle Brush Cutter | 88 |
| EGO Commercial Telescopic Pole Saw | 90 |
| EGO Commercial Edger | 92 |
| EGO Commercial Pole Hedge Trimmer | 94 |
| EGO Commercial Chain Saw | 98 |
| EGO Commercial Battery Technology | 100 |
| EGO Commercial Accessories | 102 |



MAXIMIZE YOUR UPTIME





WORK ALL DAY & CHARGE OVERNIGHT





INTRODUCING PGX™ COMMERCIAL CHARGING SYSTEM

EGO Commercial's PGX™ Commercial Charging system is a flexible charging solution that scales to your business.










PGX™ POWER BANK Charges 30+ Ah of portable batteries during the day







IT STARTS WITH THE POWER HUB


- ONLY ONE POWER HUB NEEDED
- CONNECTS TO PGX™ COMMERCIAL CHARGING 3-PORT DOCKS
- MOUNTS IN A BUILDING, VAN, OR TRAILER
- RUNS OFF OF A SINGLE 15A CIRCUIT



PGX1600H PGX™ COMMERCIAL CHARGING 1600W HUB







CHARGE UP TO 70 BATTERIES OVERNIGHT

- 3-PORT DOCK CHARGES 3 BATTERIES SIMULTANEOUSLY
- CONNECT UP TO 24 DOCKS TO ONE PGX[™] HUB
- DOCKS CHARGE IN SERIES



PGX3000D PGX™ COMMERCIAL CHARGING 3-PORT DOCK



| POWER REQUIREMENT | PGX™ HUB (15A CIRCUIT) |
|-------------------|------------------------|
| EXPANDABLE | Yes |
| CONNECTIVITY | BLUETOOTH AND WIFI |
| DIMENSIONS | 23.5" x 6.75" x 11.5" |



7x MOUNTING POINTS





CHARGE DURING THE DAY

- CHARGES 30+ Ah OF EGO POWER+ PORTABLE BATTERIES DURING THE DAY
- WORKS SEAMLESSLY WITH THE POWER HUB
- LARGE FORMAT BATTERIES CAN BE SWAPPED FOR MORE CAPACITY





PGX1400PB PGX™ COMMERCIAL POWER BANK



| AC RECHARGE REQUIREMENT | PGX™ HUB (15A CIRCUIT) |
|--------------------------|--|
| CHARGE TIME (AC) | 120 MINUTES (40Ah HIGH CAPACITY) |
| CHARGE TIME (DC) | 75 MINUTES with two 12.0Ah 60 MINUTES with two 10.0Ah 50 MINUTES with two 8.0Ah 45 MINUTES with two 7.5Ah 35 MINUTES with two 6.0Ah 30 MINUTES with two 5.0Ah 25 MINUTES with two 4.0Ah 30 MINUTES with two 2.5Ah |
| DC CHARGING SPEED | 2x 700W |
| EXPANDABLE | YES |
| CONNECTIVITY | BLUETOOTH AND WIFI |
| WEIGHT | 38 LBS |
| DIMENSIONS | 20.25" x 16.5" x 16" |
| WEATHER RESISTANT RATING | IPX2 |

Additional SKU Configurations: **PGX3100K** Includes PGX1400PB, HC2240T, and two BA4200T.

HC2240T PGX™ Commercial 2.2kWh (40Ah) High Capacity Battery



| VOLTAGE | 56V |
|--------------------------|-------------------------------------|
| ENERGY | 2.2kWh |
| CHARGE TIME | 120 MINUTES (40Ah High Capacity) |
| AC RECHARGE REQUIREMENT | PGX™ HUB (15A CIRCUIT) |
| CONNECTIVITY | BLUETOOTH |
| WEIGHT | 39 LBS |
| DIMENSIONS | 13.3" x 6.8" x 12.7" |
| WEATHER RESISTANT RATING | IPX4 |



INDUSTRY'S MOST POWERFUL GAS OR Cordless Walk-Behind Mower



LMX5300SP Commercial 22" Aluminum Deck Self-Propelled Lawn Mower



| GAS EQUIVALENT | 230CC RATING |
|---|-------------------|
| TORQUE | 14.8 FT-LBS |
| MAX POWER | 4000W |
| RATED POWER | 1600W |
| RUN TIME with two 12.0Ah batteries | UP TO 135 MINUTES |
| RECHARGE TIME with two 12.0Ah batteries using PGX" Power Bank | 75 MINUTES |
| BATTERY WATTS | 8960 |
| SELF-PROPELLED | YES |

| CUTTING SYSTEM | COMMERCIAL SINGLE BLADE |
|--------------------------|-------------------------|
| CUTTING HEIGHTS | 8 |
| DECK SIZE | 22 INCHES |
| MAX BLADE TIP SPEED | 18,000 FPM |
| DECK MATERIAL | ALUMINUM |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ |
| WEIGHT WITHOUT BATTERY | 99.2 LBS |
| WEATHER RESISTANT RATING | IPX5 |



60

60% MORE POWER

-60



Additional SKU Configurations: LBPX8004-2 Includes (2) 6.0Ah batteries and 280W Dual Port charger. LBPX8006-2 Includes (2) 10.0Ah batteries and 280W Dual Port charger.

IPX5

WEATHER RESISTANT RATING



20% MORE POWER






MORE POWER THAN GAS





40% LIGHTER

90 | EGO COMMERCIAL TELESCOPIC POLE SAW





5X LONGER LIFE



EDX2000 Commercial 8" Straight Shaft Edger



EDX2000-C Commercial 8" Curved Shaft Edger






| | EDX2000 | EDX2000-C | |
|---------------------------------------|------------------------|------------------------|--|
| GAS EQUIVALENT | 25CC RATING | | |
| MAX POWER | 1600W 2300W | | |
| RATED POWER | 1200W | 1600W | |
| RUN TIME with 5.0Ah battery on low | UP TO 60 MINUTES | | |
| BLADE SIZE | 8 INCHES | | |
| MAX CUTTING DEPTH | 3 INCHES | | |
| ARBOR SIZE | 1 INCH | | |
| SPEEDS no load RPM | 3000 / 4000 / 4500 RPM | 4000 / 5500 / 7000 RPM | |
| SHAFT MATERIAL | CARBON FIBER | ALUMINUM | |
| SHAFT STYLE | STRAIGHT CURVED | | |
| DRIVE SHAFT | SOLID STEEL FLEXIBLE | | |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ | | |
| HOUSING | UV-RESISTANT COMPOSITE | | |
| TOOL LENGTH | 69.5 INCHES | 67.3 INCHES | |
| WEIGHT WITHOUT BATTERY | 10.4 LBS 10.4 LBS | | |
| WEATHER RESISTANT RATING | IPX5 | | |



INDUSTRY-LEADING DURABLE CARBON FIBER RAILS













| | HTX5300-PA | HTX5310-P | HTX5300-P | |
|---------------------------------------|--|-----------|-------------|--|
| GAS EQUIVALENT | 25CC RATING | | | |
| MAX POWER | | 1000W | | |
| RATED POWER | | 650W | | |
| RUN TIME with 2.5Ah battery on low | UP TO 75 MINUTES | | | |
| BLADE | 21-INCH DUAL-ACTION HARDENED STEEL | | | |
| CUTTING CAPACITY | 1.1 INCHES | | | |
| CUTTING POSITIONS | 45°, 30°, 15°, 0°, -15°, -30°, -45°, -60°, -75°, -90°, -180° | | | |
| HEAD ROTATION | 180° ARTICULATING FIXED Max Range | | | |
| SPEEDS | 3200 / 3600 / 4000 RPM | | | |
| SHAFT MATERIAL | CARBON FIBER | | | |
| GEARBOX | DIE CAST ALUMINUM / SERVICEABLE | | | |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ | | | |
| HOUSING | UV-RESISTANT COMPOSITE | | | |
| SHAFT LENGTH | 59 INCHES | 42 INCHES | 20 INCHES | |
| OVERALL TOOL LENGTH | 98.2 INCHES 82.7 INCHES 59.1 INCHE | | 59.1 INCHES | |
| WEIGHT WITHOUT BATTERY | 11 LBS 9.0 LBS 9.2 LBS | | 9.2 LBS | |
| WEATHER RESISTANT RATING | IPX5 | | | |



ADVANCED TORQUE AND CHAIN SPEED

CSX5000 COMMERCIAL 20" FARM AND RANCH CHAIN SAW



Additional SKU Configurations: CSX5007 Includes 8.0Ah battery and 550W charger.



Additional SKU Configurations: CSX3003 Includes 5.0Ah battery and 550W charger.



| | 0075000 | 008000 | |
|--------------------------------------|--|--|--|
| | CSX5000 | CSX3000 | |
| GAS EQUIVALENT | GOCC RATING | 35.2CC RATING | |
| MAX CUTTING CAPACITY (4 x 4 wood) | UP TO 275 CUTS with 8.0ah battery | UP TO 265 CUTS with 5.0ah battery | |
| MAX POWER | 3500W | 2500W | |
| RATED POWER | 2700W | 1800W | |
| BAR LENGTH | 20 INCHES | 12 INCHES | |
| CHAIN SPEED | 30 M/S | 20 M/S | |
| CHAIN SPECS | .325 INCH PITCH .050 INCH GAUGE 78 DRIVE LINKS | .375 INCH PITCH .043 INCH GAUGE 45 DRIVE LINKS | |
| CHAIN ADJUSTMENT | MANUAL | | |
| OILING | AUTOMATIC | | |
| CHAIN KICK BACK BRAKE | YES | | |
| AUTO SAFETY BRAKE | YES NO | | |
| BUCKING SPIKES | METAL | | |
| DIGITAL USER INTERFACE | YES | NO | |
| LED WORK LIGHT | YES | NO | |
| BATTERY TECHNOLOGY | 56V ARC LITHIUM™ | | |
| HOUSING | UV-RESISTANT COMPOSITE | | |
| WEIGHT WITHOUT BATTERY | 13 LBS | 7.7 LBS | |
| WEATHER RESISTANT RATING | IPX5 | | |



THE MOST ADVANCED TECHNOLOGY In the industry

BETTER PERFORMANCE IS BUILT IN

No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Patented ARC Lithium design keeps the battery from overheating
- Patented power management system to maximize power and runtime
- An integrated fuel gauge that shows you how much power is left
- 2 years with registration completed within 90 days from date of purchase. 1 year warranty without registration



ARC56V



ALL VOLTS ARE NOT CREATED EQUAL

VOLTAGE ≠ PERFORMANCE

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

| CAPACITY | x VOLTAGE | = ENERGY | VOLTAGE x | CURRENT | = POWER |
|----------|-----------|----------|-----------|---------|---------|
| (Ah) | (V) | (Wh) | (V) | (A) | (W) |







COMMERCIAL CHAIN SAWS

AC1200

12" replacement saw chain for CSX3000 3/8"/9.5mm LP Pitch, .043"/1.1mm Gauge Saw Chain, 45 Drive Links





12" replacement guide bar for CSX3000



ABH3000





AC1635

16"/40cm, .325" Pitch, .050"/1.3 mm Gauge Saw Chain, **66 Drive Links**

AC1835

18"/45cm, .325" Pitch, .050"/1.3 mm Gauge Saw Chain, 72 Drive Links

AC2035

20"/50cm, .325" Pitch, .050"/1.3 mm Gauge Saw Chain, 78 Drive Links



AK1635

16"/40cm, .325" Pitch, .050"/1.3 mm Gauge Chain and Bar Kit, 66 Drive Links



AK1835

18"/45cm, .325" Pitch, .050"/1.3 mm Gauge Chain and Bar Kit, 72 Drive Links




=60

AK2035

20"/50cm, .325" Pitch, .050"/1.3 mm Gauge Chain and Bar Kit, 78 Drive Links

COMMERCIAL PGX™



PGX™ Commercial Charging E-Track Mounting Kit



COMMERCIAL HEDGE TRIMMERS

| AHB5300P Commercial 21" Hedge Trimmer Replacement Blade Set Compatible with HTX5300-P and HTX5310-P | |
|---|------|
| AHB5300PA Commercial 21" Articulating Hedge Trimmer | ···· |

Commercial 21" Articulating Hedge Trimmer **Replacement Blade Set** Compatible with HTX5300-PA

COMMERCIAL BRUSH CUTTERS

AP4500D Premium Commercial Double Shoulder Brush **Cutter Harness**

COMMERCIAL WALK-BEHIND MOWERS

AB5301 22" High-Lift Commercial Blade



COMMERCIAL STRING TRIMMER

AD4510

AL2403

Commercial Replacement String Trimmer Guard

0.095" x 800' / 3 lbs. Commercial Trimmer Line





AL2405 0.095" x 1400' / 5 lbs. Commercial Trimmer Line



AL2703 0.105" x 690' / 3 lbs. Commercial Trimmer Line



AL2420PB Bi-component trimmer line (pre-cut line)



AL2470B

Bi-component trimmer line (bulk package)



AOL3200

32oz oil-free, biodegradable bar and chain lubricant. Water soluble for easy clean-up.

A0L1000

1 Gallon oil-free, biodegradable bar and chain lubricant. Water soluble for easy clean-up

AH3800

Manual Load, Bump Head for STX3800, STX4500, BCX3800, and BCX4500



Commercial rapid reload trimmer head



SAFETY

GSOO3 Safety Glasses - Yellow Lens

GSOO2 Safety Glasses - Grey Lens



F

GSOO1 Safety Glasses - Clear Lens



GVOO1M Synthetic Glove - Medium (Note: gloves run small)

GVOO1L Synthetic Glove - Large (Note: gloves run small)

GVOO1XL Synthetic Glove - X-Large (Note: gloves run small)

GVOD1XXL Synthetic Glove - XX-Large (Note: gloves run small)











All rights reserved. Neither this catalog nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalog are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.